The LONGWAY General Series small batteries (less than 24Ah) are designed and developed using AGM technology and valve controlled sealing technology. They can meet conventional performance requirements, with a designed float charging life of over 5 years. The valve controlled non-spillable structure design allows safe use in any direction and is certified by sea and air freight. The battery performance also meets international standards, such as IEC61056-2012, JIS C8702-1-2003, UL1989, etc.



General Feature

- High reliability, safe without leakage, can be used in any position
- Excellent recovery performance after deep discharge
- Environmentally friendly products.
 Meet EU battery directive RoHS and REACH standards
- · Maintenance free
- Widely applicable temperature range, can be used at -20 °C~60°C
- Low self-discharge rate. The average monthly self-discharge rate of the battery is less than 2.5%

(It is recommended to recharge after storage for 6 months or before use)


Applications

- Emergency lights; Alarm system
- Electrical test equipment; communication Equipment
- Uninterruptible power supply; Fire & Security
- · Electric toys; Control instruments
- · Portable Movie & Video lights
- · Electric tools; Solar system
- · Robots and control machines and other

Performance

| Nominal Voltage | 12V (6cells) | | | | | |
|--------------------------------|--|--|--|--|--|--|
| Capacity | @25 °C | | | | | |
| 20hr Rate (1.00A) | 21.5 Ah @ to 1.75V/cell | | | | | |
| 3hr Rate (5.00A) | 16.5 Ah @ to 1.70V/cell | | | | | |
| 27min Rate (20.0A) | 12.6 Ah @ to 1.60V/ceII | | | | | |
| Weight | Approx (5.90 $\pm3\%$)kg (13.01lbs) | | | | | |
| Internal Resistance | Approx 10.0m Ω fully charged @25°C | | | | | |
| Maximum Discharge Current | 165A(3sec) | | | | | |
| Terminal | 12 | | | | | |
| Operating Temperature Range | Discharge:-20°C~60°C;Charge:0°C~50°C Storage:-20°C~40°C | | | | | |
| Container Material | ABS(UL94 HB)/UL94-V0 Optional | | | | | |

Dimensions



| 181mm | 7.13inch |
|-------|----------------|
| 77 mm | 3.03inch |
| 166mm | 6.57inch |
| 166mm | 6.57inch |
| | 77 mm 166mm |

Battery use

Cycle use

- 1. Limit the initial charging current to no more than 6A
- 2. Keep charging voltage at 14.4-15.0V/unit.and continue charging at least 3 hours after the charging current reduces to 0.4A to ensure full charge
- 3. The compensation coefficient of charging voltage and temperature is -5mv/cell/ $^{\circ}$

Float use

- 1. Limit the initial charging current to no more than 6A
- 2. Keep charging voltage at 13.5-13.8V/unit.When the voltage reaches the constant voltage, the current gradually decreases until the battery is fully charged and continues to charge
- 3. The compensation coefficient of charging voltage and temperature is -3mv/cell/ $\!\!\!\!\!^{\rm C}$








Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com
Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com
Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW12-20B B0. May 2023




General VRLA Battery 6FM20 (12V20Ah)


Floating Charging Life VS Temperature




Floating Charging Characteristics Diagram




Cycle Life




Cycle charging characteristic diagram



Temperature and capacity characteristics



Self-discharge characteristic



Constant current characteristics(A,25°C)

| F.V/TIME | 5min | 10min | 15min | 30min | 60min | 90min | 2h | 3h | 5h | 10h | 20h |
|----------|------|-------|-------|-------|-------|-------|------|------|------|------|------|
| 9.60 | 86.0 | 50.0 | 38.0 | 24.0 | 12.4 | 9.30 | 7.51 | 5.68 | 3.76 | 2.03 | 1.06 |
| 9.90 | 83.4 | 48.5 | 36.9 | 23.3 | 12.0 | 9.11 | 7.44 | 5.63 | 3.72 | 2.02 | 1.05 |
| 10.2 | 81.7 | 47.5 | 36.5 | 23.0 | 11.9 | 8.93 | 7.40 | 5.60 | 3.70 | 2.01 | 1.05 |
| 10.5 | 79.1 | 46.0 | 35.0 | 22.1 | 11.4 | 8.74 | 7.33 | 5.54 | 3.66 | 2.00 | 1.04 |
| 10.8 | 76.8 | 44.7 | 34.7 | 21.9 | 11.3 | 8.56 | 7.25 | 5.49 | 3.63 | 2.00 | 1.04 |

Constant power discharge characteristic (W,25℃)

| F.V/TIME | 5min | 10min | 15min | 30min | 60min | 90min | 2h | 3h | 5h | 10h | 20h |
|----------|------|-------|-------|-------|-------|-------|------|------|------|------|------|
| 9.60 | 960 | 564 | 433 | 275 | 144 | 109 | 87.9 | 67.5 | 44.8 | 24.4 | 12.7 |
| 9.90 | 931 | 547 | 420 | 267 | 139 | 107 | 87.0 | 66.9 | 44.4 | 24.2 | 12.6 |
| 10.2 | 912 | 536 | 416 | 264 | 138 | 104 | 86.6 | 66.5 | 44.2 | 24.1 | 12.6 |
| 10.5 | 883 | 519 | 399 | 253 | 132 | 102 | 85.7 | 65.9 | 43.7 | 24.0 | 12.5 |
| 10.8 | 857 | 504 | 395 | 251 | 131 | 100 | 84.8 | 65.2 | 43.3 | 24.0 | 12.5 |







Kaiying Power Supply & Electrical Equip Co., Ltd Email: sales@longwaybattery.com Tel:0595-68782266 Fax:0595-68782222 Website: http://www.longwaybattery.com Add: Kaiying Industrial Area, Chengxiang Town, Anxi, Quanzhou, Fujian Province, China KY-IOP-LW12-20B B0. May 2023